

Sales Specification

Neopentyl Glycol, Molten

CAS-No. 126-30-7

<i>Sales- Specifications</i>	Property	Limit	Unit	Test Method	PQR
	Appearance	Colorless, clear		Visual Examination	
	Neopentyl Glycol	min. 99.0	% (w/w)	Gas Chromatography	x
	Water	max. 0.3	% (w/w)	DIN 51 777 / ASTM D 1364 (mod. Karl-Fischer-Method)	x
	Acid Number	max. 0.10	mg KOH/g	DIN EN ISO 2114 / ASTM D 1613	X
	Platinum/Cobalt Color (Hazen/APHA Color) (50 % aqueous solution)	max. 15		DIN EN 1557 / DIN ISO 6271 / ASTM D 1209	x
	Melting Range	124 - 130	°C	DIN 53 181 / ASTM E 32 4, modified	x

Product-No. 50000753

Date of Issue 2010-07-01

Version-No. 1

OXEA GmbH
Otto-Roelen-Straße 3
46147 Oberhausen
Germany

OXEA Corporation
1505 West LBJ Freeway
Suite 400
Dallas, TX 75234
USA

email: psq@oxea-chemicals.com

Page 1 of 1
10480_SLS_EN_V1a

The parameters marked with x are listed on the Product Quality Report (PQR).
Test methods used are available upon request. Contact your Sales Support for copies.

Typical properties are not part of the sales specification.

This information is based on our present state of knowledge and shall be intended to provide general notes on our products and their field of application. It shall therefore not be construed as guaranteeing specific characteristics of the products described and/or their suitability for a particular application. Any existing industrial property rights shall be observed. The quality of our products is warranted under our General Conditions of Sale.